

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2024-2025

Clinical Material in Hospital

Hospital Details

Sr	Particulars to be verified	Adequate / Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own / parent Hospital (Affiliated hospital must be 50 bedded or more.)	Adequate (Parent Hospital)
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:	Yes
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) (1: 10 Students ratio)	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%)	85%
d.	Clinical facilities for PG to be verified : (As per MSR)	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	i) Yes ii) 521 iii) OPD 1652 iv) 248 Normal Delivery v) 362 LSCS
	<input type="checkbox"/> As per Central Council Norms/ University Norms, above Infrastructure must be available at College. <input type="checkbox"/> If Infrastructure is available, then mark "Adequate" & do not attach any documents. <input type="checkbox"/> In case of "Inadequate", it must be mark as "Inadequate" with evidence.	




 Dean/ Principal Stamp & Signature
 M.I.N.S.College of Nursing
 LATUR-413 531



महाराष्ट्र शासन
सार्वजनिक आरोग्य विभाग
जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, लातूर

बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट १९४९ चे कलम ५ व
महाराष्ट्र शासन राजपत्र ०९ जानेवारी २००६ अन्वये
महाराष्ट्र शासन राजपत्र १४ जानेवारी २०२१ अन्वये
नोंदणी प्रमाणपत्र

क्रमांक : २८/२०२२

प्राचार्य एम. आय. एम. एस. आर. वैद्यकीय महाविद्यालय व यशवंतराव चव्हाण ग्रामीण रुग्णालय, लातूर यांचे विश्वनाथपुरम, अंबाजोगाई रोड, लातूर (कासारगाव ग्रा.प. हद्ददीत) ता. जि. लातूर यांनी नर्सिंग होम ॲक्ट १९४९ च्या अटी व शर्तीची पूर्तता केली असल्याने सदर हॉस्पिटलची नर्सिंग होम ॲक्ट १९४९ चे कलम ५ अन्वये हॉस्पिटलचे नुतर्जाकरण करण्यात येत असून सदरचे नर्सिंग होमस चालविण्यास परवाना देण्यात येत आहे.

रजिस्ट्रेशन क्रमांक :- २८/२०२२

प्रसूतीसाठी खाटांची संख्या :- ६०

नोंदणी दिनांक :- ०१/०४/२०२२


इतर रुग्णांसाठी खाटांची संख्या :- ६४०

ठिकाण:- प्राचार्य एम. आय. एम. एस. आर. वैद्यकीय महाविद्यालय व यशवंतराव चव्हाण ग्रामीण रुग्णालय, लातूर जि. लातूर

प्रमाणपत्र प्रदान केल्याचा दिनांक :- ०१/०४/२०२२

सदरचे प्रमाणपत्र दिनांक :- ३१/०३/२०२५ पर्यंत कार्यवाहीत राहिल.

(डॉ. एच. व्ही. वडगावे)
जिल्हा आरोग्य अधिकारी
जिल्हा आरोग्य अधिकारी
जिल्हा आरोग्य अधिकारी





By clicking on the Industry name, industry can now edit their general information. kindly find the guidelines here [Click here](#)

Ticketing system has been rolled out for your convenience. kindly find the guidelines here [Click here](#)

Bank Guarantee module has been rolled out for your convenience. kindly find the guidelines here [Click here](#)

Select Unit:

MIMSR Medical College & Y

Select Plant:

All Plants

Filter Applications

View Unit Information

My Applications

Sr No.	UAN No.	Application Name	Application IIN	Application Date	Amount	Documents
1	MPCB-CONSENT-0000179075 CCA Status: In Process	CONSENT	--	15-08-2023	Rs 125000	Documents Payments Download
2	MPCB-CONSENT-0000159096 CCA Download certificate Status: Reject View CAC Minutes	CONSENT	--	13-01-2023	Rs 150000	Documents Payments Download
3	MPCB-CONSENT-0000108452 Download certificate Status: Approved View CAC Minutes	CONSENT		11-02-2021	Rs 150000	Documents Payments Download
4	MPCB-CONSENT-0000043515 Download certificate Status: Approved View CAC Minutes	CONSENT		27-02-2018	Rs 50000	Documents Payments Download

Environment Statement

No Statements found.

Assessment Order List

No Statements found.

Legal Actions

Sr No.	Notice/Directions	Issued On	Status	Action
1	Proposed Direction MPCB/PD/2301180001	January 18, 2023		View
2	Show Cause Notice MPCB/SCN/2305090001	May 9, 2023	Pending	View

JVS Payments

Please click here to view all JVS Bills.

Consolidated Statements



STATE ENVIRONMENT IMPACT
ASSESSMENT AUTHORITY, MAHARASHTRA

No Statements found.

Mass Tree Plantation


To participate MTP drive, Please click on below links:

To add details tree plantation details committed by Maharashtra Institute of Medical Sciences and Research click on the links below


Proposed Plantation

Actual Plantation

Mass Tree Plantation Dashboard:



[Download Guidelines for Mass Tree Plantation](#)


Executive Director
M.I.N.S. College Of Nursing
LATUR

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I

Date: 19/06/2022

No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000108452/CR/2206000966

To,
MIMSR Medical College, Latur
Survey No.277,Vishwanathpuram campus,Ambajogai
Road,Tal & Dist: Latur.



Your Service is Our Duty

Sub: Consent to Renewal for Combine Consent and Authorization

- Ref:**
1. Combine Consent and Authorization granted by the Board vide Format 1/CAC/UAN No. 43515/CR-2006001151 Dated 20.06.2020
 2. The minutes of Consent Appraisal Committee meeting dated 13.10.2021 & 29.10.2021.

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 31.12.2022**
2. **The capital investment of the project is Rs.70.1018 Crs. (As per C.A Certificate submitted by industry Existing-Rs. 13.88 Crs).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	700	Nos
b)	Total Plot Area	288600.00	Sq.Mtrs
c)	Total Built up Area	59359.00	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Acheive	Disposal
1.	Trade effluent	5	As per Schedule -I	Primary treatment & further in STP.

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
2.	Domestic effluent	105	As per Schedule - I	Maximum recycle and remaining disposed on land / in to sewerage system provided by Local body.

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set [500 KVA]	1	As per Schedule -II

6. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1			0	--NA--	NA	NA

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	25	MT/M	Landfill	Use a Manure
2	Dry Waste	54	Kg/Day	segregate	Sale/Use a Manure

8. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	145.34	Yellow colored non-chlorinated plastic bags	CBMWTSDF
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	1225.00		
2	Red	Contaminated waste (Recyclable)	1046.00	Red colored non chlorinated plastic bags or containers	CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	21.56	Puncture proof, Leak proof, tamper proof container	CBMWTSDF
4	Blue	a) Glassware	0.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDF
		b) Metallic body implants	0.00		

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:

- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
- c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
- d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
- e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
- f. You shall establish Bar code system within one year.
- g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
- h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
- i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
- j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.

- k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
 13. PP shall provide primary ETP within three months and submit BG of Rs.2.0 Lakh towards the same.. The primary treated effluent shall be treated in existing STP
 14. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient



Ashok Shingare

0113fb9d
93aa898d
a1272052
7e49eafd
db7f371d
94616849
2e247fc8
85ff3e15

Signed by: Ashok Shingare
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2022-06-19 14:08:30 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	150000.00	MPCB-DR-5351	05/04/2021	RTGS
2	125000.00	MPCB-DR-11833	05/05/2022	NEFT
3	25000.00	MPCB-DR-12194	26/05/2022	NEFT
4	15000.00	MPCB-DR-6624	01/07/2021	NEFT
5	15000.00	MPCB-DR-12024	18/05/2022	NEFT

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Latur
- They are directed to ensure the compliance of the consent conditions.
- They are directed to forfeit the bank guarantee of Rs 1 lakh for non-provision of ETP.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. CC/CAC desk for record and website updatation purpose.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application you have proposed to install primary ETP for trade effluent.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(5)	COD	250 mg/l

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 300 CMD for the treatment of 105 CMD of sewage.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Soilds	Not to exceed	50 mg/l

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	135.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	35.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
1	DG Set [500 KVA]	Acoustic Encloser and Stack	5.0	HSD	40 Ltr/Hr	1.00	19.20

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	1,00,000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	1,00,000
3	To install primary ETP within 3 months	Continuous	2,00,000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	50,000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	50,000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
1	C to R	100000	-	Towards compliance of Consent conditions & O & M of PCS.	100000	Not install ETP.

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV


General Conditions:


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.

8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.

23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.




Executive Director
M.I.N.S. College Of Nursing
LATUR



महाराष्ट्र प्रदूषण नियंत्रण मंडळ

[Applications](#) | [Dashboard](#) | [Change Password](#) | [Industry Documents](#) | [Logout](#)

By clicking on the industry name, industry can now edit their general information. Kindly find the guidelines here [Click here](#)

Ticketing system has been rolled out for your convenience. Kindly find the guidelines here [Click here](#)

Bank Guarantee module has been rolled out for your convenience. Kindly find the guidelines here [Click here](#)

Select
Unit:

MIMSR Medical College & Y ▼

Select
Plant:

MIMSR Medical Co ▼

Filter Applications

[View Unit Information](#)

My Applications

Sr No.	UAN No.	Application Name	Application IIN	Application Date	Amount	Documents
1	MPCB-CONSENT-0000159096 CCA Status: In Process View CAC Minutes	CONSENT	--	13-01-2023	Rs 150000	Documents Payments Download
2	MPCB-CONSENT-0000108452 Download certificate Status: Approved View CAC Minutes	CONSENT		11-02-2021	Rs 150000	Documents Payments Download
3	MPCB-CONSENT-0000043515 Download certificate Status: Approved View CAC Minutes	CONSENT		27-02-2018	Rs 50000	Documents Payments Download

Environment Statement

No Statements found.

Assessment Order List

No Statements found.

Legal Actions

Sr No.	Notice/Directions	Issued On	Status	Action
1	Proposed Direction MPCB/PD/2301180001	January 18, 2023		View
2	Show Cause Notice MPCB/SCN/2305090001	May 9, 2023	Pending	View

JVS Payments

Please click here to view all JVS Bills.

Consolidated Statements



**STATE ENVIRONMENT IMPACT
ASSESSMENT AUTHORITY, MAHARASHTRA**

No Statements found.

Mass Tree Plantation

To participate MTP drive, Please click on below links:

To add details tree plantation details committed by **Maharashtra Institute of Medical Sciences and Research** click on the links below

[Proposed Plantation](#)

[Actual Plantation](#)

Mass Tree Plantation Dashboard:



0
Total Area in Acres



0
Actual area of plantation




0
Proposed No. of Trees to be planted



0
Actual No. of Trees Planted

[Download Guidelines for Mass Tree Plantation](#)


Executive Director
M.I.N.S. College Of Nursing
LATUR



Maharashtra Academy of Engineering & Education Research, Pune's

YESHWANTRAO CHAVAN RURAL HOSPITAL



Vishwanathpuram, Ambajogai Road, Latur - 413 531. (Maharashtra - India)

☎: 227424, 227028, Fax : (02382) 227246 E-mail - mimsr@mitpune.com

No: MIMSR/YCRH/27\ /2023

Date:17/10 /2023

To,

The Principal,

Maharashtra Institute of Nursing Sciences, Latur


Vishwanthpuram, Ambajogai Road.


Latur

Bed Distribution & Bed Occupancy Details

S.No	Department	No. Beds	No. of Unit	Occupied Bed (IPD)
01	Medicine	150	5	115
02	Paediatrics	90	3	89
03	TB & Chest	20	1	05
04	Skin & VD	40	1	37
05	Psychiatry	15	1	13
06	Gen. Surgery	150	5	119
07	Orthopaedic	90	3	95
08	Ophthalmology	30	1	28
09	ENT	30	1	27
10	Obstetrics & Gynaecology	90	3	87
11	I.C.U / ICCU	12	-	9
12	NICU / PICU	13	-	13
13	Recovery	14	-	12
14	Casualty	25	-	05
15	SICU	07	-	05
	Total	776	24	659

As per your request letter, above mention details about Bed distribution and In-patient detail (IPD).


Executive Director
M.I.N.S. College Of Nursing
LATUR


Hospital Superintendent
SUPERINTENDENT
Y. C. R. HOSPITAL
LATUR



YESHWANTRAO CHAVAN RURAL HOSPITAL



Vishwanathpuram, Ambajogai Road, Latur - 413 531. (Maharashtra - India)

☎: 227424, 227028, Fax : (02382) 227246 E-mail - mimsr@mitpune.com

No: MIMSR/YCRH/2772023

Date: 17/10 /2023

To,

The Principal,

Maharashtra Institute of Nursing Sciences, Latur

Vishwanthpuram, Ambajogai Road.


Latur.

OPD Department Wise List

S.No	Department	No. Occupancy	No. of Unit
01	Medicine	170	5
02	Paediatrics	75	3
03	TB & Chest	35	1
04	Skin & VD	82	1
05	Psychiatry	25	1
06	Gen. Surgery	135	5
07	Orthopaedic	102	3
08	Ophthalmology	90	1
09	ENT	61	1
10	Obstetrics & Gynaecology	95	3
11	Casualty	43	
	Total	913	24

As per your request letter, above mention details about OPD Department and Out-patient details (OPD).


Executive Director
 M I. N. S. College Of Nursing
 LATUR


Hospital Superintendent
~~SUPERINTENDENT~~
 Y. C. R. HOSPITAL
 LATUR



Maharashtra Academy of Engineering & Education Research, Pune's

YESHWANTRAO CHAVAN RURAL HOSPITAL

Vishwanathpuram, Ambajogai Road, Latur - 413 531. (Maharashtra - India)

☎: 227424, 227028, Fax : (02382) 227246 E-mail - mimsr@mitpune.com



No.YCRH/ 302 /105 /2024

Date: 24/01/2024


To,
The Principal,
Maharashtra Institute of Nursing Sciences
Latur.

Sub: Permission for Clinical Posting B.Sc Nursing & Post B.B Sc Nursing

Dear Sir,

As per your request we are permitting your B.Sc Nursing and Post B.B.Sc Nursing Students for their clinical experience for the academic year 2024-2025.

So kindly informed and perusal.


Hospital Superintendent,
SUPERINTENDENT
Y. C. R. HOSPITAL
LATUR