

Maharashtra University of Health Sciences, Nashik

Inspection Committee Report for Academic Year 2025 - 2026

Clinical Material in Hospital

Faculty: Nursing

Name of College / Institute: Maharashtra Institute of Nursing Sciences, Latur

HOSPITAL DETAILS

| Sr. No | Particulat to be verified | Particular | Adequate/ Inadequate |
|--------|---|--|-------------------------|
| 1 | The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own /parent Hospital (Affiliated hospital must be 50 bedded or more.) To be Made available on website | Parent Hospital - 700 Bedded | Adequate |
| a | Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site | Yes | Adequate |
| b | Student bed ratio for UG & PG to be verified : (As per MSR) Calculate at Actual 1:10 Student Ratio | Yes | Adequate |
| c | Avarage Bed Occupancy in % (Minimum 75%) 85% | 85% Yes | Adequate |
| d | Clinical facilities for PG to be verified (As per MSR) | NA | NA |
| | (i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year) | YES 581 1850 465 (Normal) 515 (LSCS) | Adequate |

- As per Central Council Norms / University Norms, above Infrastructure must be available at College.
- If Infrastructure is available, then mark "Adequate" & do not attach any documents.
- In case of "Inadequate", it must be mark as "Inadequate" with evidence. To be submit to university with report

Here by I declare all relevant document uploaded are clear and visible on web site & are true as per my best knowledge & Belief .

Any Other, Please Specify :-

Date:- 01.02.2025



Dean / Principal Stamp & Signature

PRINCIPAL

M.I.N.S. College of Nursing
LATUR - 413 531.

Chairman of LIC

Member Of LIC

Member Of LIC



NO. MIMSR/YCRH /3002 /208 /2024

Date:-19/07/2024

Permission Letter

To,

The Principal,

Maharashtra Institute Nursing Sciences, Latur

MIMSR Medical College YCR Hospital Campus

Latur-413531.

Subject: - To grant Permission for B.Sc. Nursing & Post Basic B.Sc. Nursing Students for Practical Experience (Parent Hospital)

Respected Sir,

With reference to the above cited subject, I am directed to inform you, in connection your request we are granting you the permission for B.Sc. Nursing & Post Basic B.Sc. Nursing students for their clinical experience at our esteemed Institute (Parent Hospital).


Hospital Superintendent

Y.C.R. Hospital, Latur

SUPERINTENDENT
Y. C. R. HOSPITAL
LATUR



Maharashtra Academy of Engineering & Education Research Pune's
YESHWANTRAO CHAVAN RURAL HOSPITAL

(ISO 9001 : 2015)

ESTD 1990



Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)

Tel : (02382) 227424, 227028
Fax : (02382) 228939

Email : mimsr@mimsr.edu.in
Website:www.mimsr.edu.in

No: MIMSR/YCRH/31/2025

Date: 01/02/2025

To,

The Principal,

Maharashtra Institute of Nursing Sciences,

Vishwanthpuram, Ambajogai Road,

Latur- 413531.

Bed Classification List

| Sr. No. | Department | No. Beds | No. of Unit |
|---------|--------------------------|------------|-------------|
| 01 | Medicine | 150 | 5 |
| 02 | Paediatrics | 75 | 3 |
| 03 | Skin & VD | 20 | 1 |
| 04 | Psychiatry | 25 | 2 |
| 05 | Gen. Surgery (+SICU) | 150 | 5 |
| 06 | Orthopaedic | 80 | 3 |
| 07 | Ophthalmology | 25 | 2 |
| 08 | ENT | 20 | 2 |
| 09 | Obstetrics & Gynaecology | 75 | 3 |
| 10 | I.C.U / ICCU / NICU | 40 | - |
| 11 | Recovery | 20 | - |
| 12 | Casualty | 20 | - |
| | Total | 700 | 26 |


Hospital Superintendent
SUPERINTENDENT
Y. C. R. Hospital
LATUR



Maharashtra Academy of Engineering & Education Research Pune's
YESHWANTRAO CHAVAN RURAL HOSPITAL

(ISO 9001 : 2015)

ESTD 1990



Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)

Tel : (02382) 227424, 227028
Fax : (02382) 228939

Email : mimsr@mimsr.edu.in
Website:www.mimsr.edu.in

No: MIMSR/YCRH/32/2025

Date: 01/02/2025

To,

The Principal,

Maharashtra Institute of Nursing Sciences,

Vishwanthpuram, Ambajogai Road,

Latur- 413531.

Bed Distribution & Bed Occupancy Details

| S.No | Department | No. Beds | No. of Unit | Occupied Bed (IPD) |
|------|--------------------------|------------|-------------|---------------------|
| 01 | Medicine | 150 | 5 | 125 |
| 02 | Paediatrics | 75 | 3 | 60 |
| 03 | Skin & VD | 20 | 1 | 10 |
| 04 | Psychiatry | 25 | 2 | 15 |
| 05 | Gen. Surgery (+SICU) | 150 | 5 | 121 |
| 06 | Orthopaedic | 80 | 3 | 61 |
| 07 | Ophthalmology | 25 | 2 | 18 |
| 08 | ENT | 20 | 2 | 18 |
| 09 | Obstetrics & Gynaecology | 75 | 3 | 69 |
| 10 | I.C.U / ICCU / NICU | 40 | - | 25 |
| 11 | Recovery | 20 | - | 12 |
| 12 | Casualty | 20 | - | 8 |
| | Total | 700 | 26 | 542 |

As per your request letter, above mention details about Bed distribution and In-patient detail (IPD).


Hospital Superintendent
SUPERINTENDENT
Y. C. R. Hospital
LATUR



Maharashtra Academy of Engineering & Education Research Pune's
YESHWANTRAO CHAVAN RURAL HOSPITAL

(ISO 9001 : 2015)

ESTD 1990



Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)

Tel : (02382) 227424, 227028
Fax : (02382) 228939

Email : mimsr@mimsr.edu.in
Website:www.mimsr.edu.in

No: MIMSR/YCRH/33 /2025

Date: 01/02/2025

To,

The Principal,

Maharashtra Institute of Nursing Sciences,


Vishwanthpuram, Ambajogai Road,

Latur- 413531.

OPD Department Wise List

| Sr. No. | Department | No. Occupancy | No. of Unit |
|---------|--------------------------|---------------|-------------|
| 01 | Medicine | 285 | 5 |
| 02 | Paediatrics | 95 | 3 |
| 03 | Skin & VD | 111 | 1 |
| 04 | Psychiatry | 35 | 2 |
| 05 | Gen. Surgery | 236 | 5 |
| 06 | Orthopaedic | 135 | 3 |
| 07 | Ophthalmology | 137 | 2 |
| 08 | ENT | 108 | 2 |
| 09 | Obstetrics & Gynaecology | 79 | 3 |
| 10 | Casualty | 57 | |
| | Total | 1278 | 26 |

As per your request letter, above mention details about OPD Department and Out-patient details (OPD).


Hospital Superintendent
SUPERINTENDENT
Y. C. R. Hospital
LATUR



सत्यमेव जयते

महाराष्ट्र शासन
सार्वजनिक आरोग्य विभाग
जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, लातूर

बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट १९४९ चे कलम ५ व
महाराष्ट्र शासन राजपत्र ०९ जानेवारी २००६ अन्वये
महाराष्ट्र शासन राजपत्र १४ जानेवारी २०२१ अन्वये
नोंदणी प्रमाणपत्र

क्रमांक : २८/२०२२

प्राचार्य, एम.आय.एम.एस.आर. वैद्यकीय महाविद्यालय व यशवंतराव चव्हाण ग्रामीण रुग्णालय, लातूर यांचे विश्वनाथपुरम, अंबाजोगाई रोड, लातूर (कासारगाव ग्रा.पं.हददीत) ता.जि. लातूर यांनी नर्सिंग होम ॲक्ट १९४९ च्या अटी व शर्तीची पूर्तता केली असल्याने सदर हॉस्पिटलची नर्सिंग होम्स ॲक्ट १९४९ चे कलम ५ अन्वये हॉस्पिटलचे नुतणीकरण करण्यात येत असून सदरचे नर्सिंग होम्स चालविण्यास परवाना देण्यात येत आहे.

रजिस्ट्रेशन क्रमांक :- २८/२०२२ प्रसुतीसाठी खाटांची संख्या :- ६०

नोंदणी दिनांक :- ०१/०४/२०२२ इतर रुग्णांसाठी खाटांची संख्या :- ६४०

ठिकाण:- प्राचार्य, एम.आय.एम.एस.आर. वैद्यकीय महाविद्यालय व यशवंतराव चव्हाण
ग्रामीण रुग्णालय, लातूर जि.लातूर

प्रमाणपत्र प्रदान केल्याचा दिनांक :- ०१/०४/२०२२

सदरचे प्रमाणपत्र दिनांक :- ३१/०३/२०२५ पर्यंत कार्यवाहीत राहिल.

(डॉ. एच. व्ही. वडगावे)
जिल्हा आरोग्य अधिकारी
जिल्हा आरोग्य अधिकारी
जिल्हा आरोग्य अधिकारी

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I
No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000179075/CO/2401001636

Date:
14/01/2024

To,
MIMSR Medical College, Latur
Survey No.277, Vishwanathpuram campus, Ambajogai
Road, Tal & Dist: Latur.
Email:principal@mimsr.edu.in
Contact No.:9422071207



Your Service is Our Duty

Grant of Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:** 1. Previous Combine Consent and BMW Authorization granted by the Board vide dated 19.06.2022, valid up to 31.12.2022.
2. Minutes of 16th Consent Appraisal Committee meeting held on 24.11.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-12-2022** To **31-12-2026**
2. The capital investment of the HCF is **₹7547.77** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 288600.00 M² with Built-up area 59359.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **700 Nos.** (As per BNH certificate no. 28 valid upto 31-03-2025)
 - I. General Beds : **582 Nos**
 - II. ICU/ICU Beds : **12 Nos**
 - III. Operation Theatre : **8 Nos**
 - IV. Maternity Beds : **60 Nos**
 - V. Oncology Beds : **5 Nos**
 - VI. Other Beds : **33 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 315 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

| Sr No | Type of Waste | HW Category no. | Quantity | UOM | Disposal |
|-------|---------------|-----------------|---------------|--------|----------|
| 1 | | NA | As per Actual | --NA-- | NA |

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Akshay Industries Ltd., Latur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|----------------|--|---|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 300.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 15.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |
| 5. | Other such as agriculture, gardening, etc. | 0.00 |

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

| Sr. No. | Description | Permitted quantity of discharge (CMD) | Standards to be achieved | Disposal |
|----------------|--------------------|--|---------------------------------|---|
| 1 | Domestic Sewage | 240 | As per clause 'C' | Recycle to maximum extent & remaining on land for gardening |
| 2 | Trade effluent | 12.0 | As per clause 'C' | Primary treatment & further in STP. |

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

| Sr. No. | Parameters | Discharge Standards applicable |
|----------------|------------------------|--|
| | | Limiting Concentration in mg/except for pH |
| 1 | pH | 6.5-9.0 |
| 2 | Oil & Grease | 10 |
| 3 | BOD (3 days 27°C) | 30 |
| 4 | COD | 250 |
| 5 | Total Suspended Solids | 100 |
| 6 | Bio-Assay Test | 90 % survival of fish after 96 hours in 100 % effluent |

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

| Sr. No. | Stack Attached to | Fuel Type | Quantity | Stack Height (Mtr) |
|----------------|--------------------------|------------------|-----------------|---------------------------|
| 1 | DG Set [500 KVA] | HSD | 40.00 Ltr/Hr | 5.00 |

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

| Sr. No | Category | Type of Waste | Quantity not to exceed (Kg/Month) | Segregation Colour coding | Treatment & Disposal |
|--------|---------------------|---|-----------------------------------|--|--|
| 1 | Yellow | a) Human Anatomical waste | 145.00 | Yellow coloured non- chlorinated plastic bags. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur |
| | | b) Animal Anatomical Waste | 0.00 | | |
| | | c) Soiled Waste | 150.00 | | |
| | | d) Expired or Discarded Medicines | 10.00 | | |
| | | e) Chemical Waste | 0.00 | | |
| | | f) Chemical Liquid Waste | 0.00 | Separate collection system leading to effluent treatment system. | |
| | | g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. | 0.00 | Yellow coloured non - chlorinated plastic bags or suitable packing material. | |
| | | h) Microbiology Biotechnology and other clinical laboratory waste | 1225.00 | Autoclave safe plastic bags or containers. | |
| 2 | Red | Contaminated waste (Recyclable) | 1046.00 | Red coloured non chlorinated plastic bags or containers. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur |
| 3 | White (Translucent) | Waste sharps including Metals | 21.56 | Puncture proof, Leak proof, tamper proof container. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur |
| 4 | Blue | a) Glassware | 0.00 | Puncture proof, Leak proof with Blue coloured marking. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur |
| | | b) Metallic body implants | 2.00 | | |

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Akshay Industries Ltd., Latur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

| Sr.No | Activity / Condition to be Complied | Compliance Timeline (Months) | Bank Guarantee Amount |
|--------------|--|-------------------------------------|------------------------------|
| 1A | Operation and Maintenance | | |
| 1 | To Segregate and Handle BMW as per Rule | Continuous | 1.00 |
| 2 | Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards | Continuous | 1.00 |
| 3 | To install primary ETP within 3 months | Continuous | 2.00 |
| 1B | Records | | |
| 1 | To Maintain records of BMW and submission of Annual Report in Form -II before 31st January | Continuous | 50.00 |
| 2 | To maintain records of BMW material delivered to CBMWTSDF | Continuous | 50.00 |
| 2 | Performance | | |
| 1 | To provide BMW separate storage facility as per guidelines of CPCB | Continuous | 50.00 |
| Total | | | 154.00 |

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.

15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





Public Health Department

(PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES
PROHIBITION OF SEX SELECTION) ACT 2003)

SCHEDULE III

CERTIFICATE OF REGISTRATION

1. In exercise of the power conferred under Sec.19 (1) of the Pre-natal Diagnostic Techniques (Regulation and prevention of Misuse) Act, 1994 (57 of 1994), the Appropriate Authority.....

Civil Surgeon Latur

hereby grants

registration to the Genetic Counseling Centre*/ Genetic Laboratory*/Genetic Clinic*/U.S.G. Centre*
named below for purposes of carrying out Genetic Counseling Pre-natal Diagnostic Procedures*/
Pre-natal Diagnostic Tests as defined in the aforesaid Act for a period of five years ending on 08/01/2027

2. This registration is granted subject to the aforesaid Act and Rules thereunder and any contravention thereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years.

A. Name and address of the Genetic Counseling Center*/ Genetic Laboratory*/ Genetic Clinic*.

MIMSR Medical College & Y.C.R Hospital, Ambejogai Road, Latur.

B. Name of Applicant for registration.....

Principal, MIMSR Medical college, Latur.

C. Pre-natal diagnostic procedures approved for (Genetic Clinic),

- (i) Ultrasound (ii) Amniocentesis
 (iii) Chorionic Villi biopsy (iv) Foetoscopy
 (v) Foetal skin or organ biopsy (vi) Cordocentesis
 (vii) Any other (specify)

D. Pre-natal diagnostic tests approved (for Genetic Laboratory)

- (i). Chromosomal studies (ii). Biochemical studies 1) Wipro GE - Logiq - 200 - 33504756.
(iii). Molecular studies 2) Wipro GE - Logiq P6 - 193865 SU3.
3) Wipro GE - Logiq P5 - 197535 SU8.
4) Wipro GE - Logiq V5 - 368425 WX5.

3. Make Model & Machine No.....

4. Registration No. allotted : - 38

5. For renewed Certificate of Registration only

Period of validity of earlier Certificate From 09/01/2017 To 08/01/2022 or Registration.

Date : 29/06/2022

Signature, Name and Designation of
the Appropriate Authority

[Signature]
Civil Surgeon, Latur